

A Visual Exploration of the Inequality $l^e < e^l$: Enhancing Student Understanding Through Geometric Reasoning

Dr. Md Sadikur Rahman, Assistant Professor, Department of Mathematics, Khalisani Mahavidyalaya
Khalisani, Chandannagar, Hooghly, West Bengal, India.

ORCID: <https://orcid.org/0000-0002-3559-1993>

Received: 24 May 2026; Revised: 1 July 2026; Accepted: 1 July 2026; Available Online: 15 August 2026.

Abstract

This article presents a geometric proof of the classical inequality $l^e < e^l$ for $0 < l \neq e$, designed specifically for mathematics education contexts. Building upon existing visual proofs in the literature, we generalize the approach to encompass all positive real numbers and demonstrate how this geometric argument can enhance student understanding of logarithmic functions, concavity, and inequality reasoning. The proof requires only elementary knowledge of logarithms and coordinate geometry, making it accessible to undergraduate students while providing valuable visual intuition that complements traditional analytic approaches. We provide detailed classroom implementation strategies, discuss connections to important mathematical constants, and situate this work within the broader literature on visual proofs in mathematics education.

Keywords: Visual proof, Mathematics education, Natural logarithm, Tangent line, Pedagogical approach.

1. Introduction

Visual proofs have long been recognized in mathematics education for their ability to make abstract concepts more accessible and intuitively understandable (Nelsen, 1993, 2015). The inequality $l^e < e^l$ for positive real numbers $l \neq e$ is a classical result with applications across various mathematical domains, yet its standard analytic proofs often rely on calculus techniques that may obscure the underlying geometric relationships.

This article presents a unified geometric proof that covers the entire domain $l > 0$, $l \neq e$. Beyond merely proving the inequality, we focus on the pedagogical implications of this approach, demonstrating how it can help students develop deeper understanding of several key mathematical concepts:

- The geometric properties of logarithmic functions
- The relationship between functions and their tangent lines
- The concept of concavity and its algebraic implications
- Strategic use of visual reasoning in analytic contexts

This approach differs from previous works studied by Stylianou (2002) and Presmeg (2006). With its generalization and the explicit connections, we draw to mathematics education research on visualization and proof comprehension.

2. Pedagogical Context and Mathematical Background

Before presenting our geometric proof, it is valuable to situate this work within both the mathematical literature and mathematics education research. The inequality $l^e < e^l$ has been proven through various methods:

2.1 Analytic Approaches

The standard analytic proof uses calculus, examining the function $f(x) = \frac{\ln x}{x}$. Since $f'(x) = \frac{1 - \ln x}{x^2}$, the function has a maximum at $x = e$, yielding $f(l) < f(e)$ for $l \neq e$, which simplifies to $l^e < e^l$. While elegant, this proof requires understanding of derivatives and optimization, concepts that may not be immediately accessible to all students.

2.2 Visual Approaches in Literature

Chakraborty's (2024) visual proof considers only $b > e$ and uses an area comparison argument. Mukherjee and Chakraborty's (2019) proof specifically for $\pi^e < e^\pi$ employs a tangent line argument similar in spirit to ours but limited to that particular case. Both approaches demonstrate the pedagogical value of visualization, but leave room for a more comprehensive treatment of a complete geometric proof valid for all positive $l \neq e$.

2.3 Educational Value of Visual Proofs

Research in mathematics education indicates that visual proofs can serve multiple pedagogical purposes:

- They provide alternative pathways to understanding for visual learners
- They help students develop intuition before formal reasoning
- They offer memorable representations that aid long-term retention
- They encourage exploration and discovery-based learning

Our geometric proof leverages these benefits while addressing a mathematically significant inequality that appears in various advanced contexts, from information theory to mathematical economics.

3. A Unified Geometric Proof

The foundation of our proof lies in the geometric properties of the natural logarithm function $y = \ln x$:

- The function is concave down on its entire domain $(0, \infty)$
- The tangent line at $x = 1$ is $y = x - 1$
- By concavity, $\ln x \leq x - 1$ for all $x > 0$, with equality only at $x = 1$

These properties are visually evident in Figure 1, which forms the basis for our geometric reasoning.




Figure-1: Geometric representation of the natural logarithm function and its tangent line at (1, 0)

Theorem 1. For any positive real number $l \neq e$, the inequality $l^e < e^l$ holds.

Proof. We present a case analysis that covers all positive $l \neq e$:

Case 1: $0 < l < e$

Consider the point $x = l/e$. From Figure 1, we observe geometrically that the vertical distance from the point $(1,0)$ to the curve $y = \ln x$ at $x = l/e$ (point L_1) is greater than the vertical distance to the tangent line $y = x - 1$ at the same x -coordinate (point M_1). Algebraically, this gives:

$$\left| \ln\left(\frac{l}{e}\right) \right| = \overline{A_1 L_1} > \overline{A_1 M_1} = \left| \left(\frac{l}{e} - 1\right) \right|$$

Since $l/e < 1$, both $\ln(l/e)$ and $(l/e - 1)$ are negative, so the absolute values reverse the inequality:

$$-\ln\left(\frac{l}{e}\right) > -\left(\frac{l}{e} - 1\right) \Rightarrow \ln\left(\frac{e}{l}\right) > 1 - \frac{l}{e}$$

Exponentiating both sides (using the monotonicity of the exponential function):

$$\frac{e}{l} > e^{1 - \frac{l}{e}} = \frac{e}{e^{\frac{l}{e}}}$$

Cross-multiplying yields:

$$e \cdot e^{\frac{l}{e}} > e \cdot l \Rightarrow e^{\frac{l}{e}} > l \Rightarrow e^l > l^e$$

Case 2: $l > e$

When $l > e$, we have $l/e > 1$. Geometrically, the vertical distance from $(1,0)$ to the curve at $x = l/e$ (point L) is now less than the distance to the tangent line at the same x -coordinate (point M):

$$\ln\left(\frac{l}{e}\right) = \overline{AL} < \overline{AM} = \left(\frac{l}{e} - 1\right)$$

This inequality simplifies to:

$$\ln l - \ln e < \frac{l}{e} - 1 \Rightarrow \ln l - 1 < \frac{l}{e} - 1 \Rightarrow \ln l < \frac{l}{e}$$

Multiplying by $e > 0$:

$$e \ln l < l \Rightarrow \ln l^e < l \Rightarrow l^e < e^l$$

Combining both cases, we get the theorem for all $l > 0, l \neq e$.

4. Educational Extensions and Classroom Applications

The geometric proof presented above offers numerous opportunities for classroom exploration and extension. Below we outline several pedagogical approaches.

4.1 Comparative Analysis of Proof Techniques

Instructors can facilitate rich classroom discussions by comparing different proof strategies:

- **Analytic approach:** Using derivatives to maximize $f(x) = \frac{\ln x}{x}$
- **Visual approach presented here:** Geometric comparison of distances
- **Chakraborty's area method:** For the special case $b > e$

Students can discuss the relative strengths of each approach, considering factors like generality, accessibility, elegance, and memorability.

4.2 Exploration with Specific Constants

The theorem yields immediate corollaries for important mathematical constants:

Corollary 2 (Comparison with π). Since $\pi \approx 3.14159 \neq e \approx 2.71828$, we have $\pi^e < e^\pi$.

Corollary 3 (Comparison with the Golden Ratio). For $\phi = \frac{1+\sqrt{5}}{2} \approx 1.61803 \neq e$, we have $\phi^e < e^\phi$.

Corollary 4 (Comparison with the Euler-Mascheroni Constant). For $\gamma \approx 0.57721 \neq e$, we have $\gamma^e < e^\gamma$.

These specific cases provide concrete examples that students can verify numerically, building confidence in the general result.

4.3 Interactive Classroom Activities

1. **Visual Exploration:** Using graphing software, students can manipulate the value of l and observe how the distances $\overline{A_1L}$ and $\overline{A_1M}$ change, building intuition before formal proof.
1. **Proof Reconstruction:** After seeing the complete proof, students can attempt to reconstruct it from the diagram alone, strengthening their visual reasoning skills.
2. **Extension Questions:**
 - What happens exactly at $l = e$? Why is this case excluded?
 - How would the proof change if we used a tangent line at a point other than $x = 1$?
 - Can you develop a similar geometric proof for other inequalities involving exponential and logarithmic functions?

5. Pedagogical Implications

The geometric proof of $l^e < e^l$ presented in this article offers several advantages for mathematics education:

- The proof requires only elementary knowledge of logarithms, exponents, and coordinate geometry, making it accessible to a wide range of students, including those in pre-calculus or early calculus courses.
- By linking algebraic inequalities to geometric distances, the approach provides visual reinforcement that can aid comprehension and retention, particularly for visual learners.
- Unlike previous visual proofs that treated special cases, our approach handles all positive $l \neq e$ in a unified framework, demonstrating the power of geometric reasoning to establish general results.
- Presenting this visual proof alongside traditional analytic approaches encourages students to appreciate multiple problem-solving strategies and develops flexible mathematical thinking.

We encourage instructors to incorporate this geometric approach into their teaching of logarithmic and exponential functions, either as a primary explanation or as a supplementary perspective that enriches students' understanding. The visual nature of the proof makes it particularly suitable for interactive classroom presentations, and the accompanying diagram can serve as a lasting visual reference for students.

References

- [1] R. B. Nelsen, *Proofs Without Words: Exercises in Visual Thinking*, Mathematical Association of America, 1993.
- [2] D. A. Stylianou, On the interaction of visualization and analysis: The negotiation of a visual representation in expert problem solving, *The Journal of Mathematical Behavior* 21 (2002), no. 3, 303–317.

- [3] N. C. Presmeg, Research on visualization in learning and teaching mathematics, in *Handbook of Research on the Psychology of Mathematics Education*, pp. 205–235, Brill, 2006.
- [4] R. B. Nelsen, *Proofs Without Words II: More Exercises in Visual Thinking*, Mathematical Association of America, 2015.
- [5] Mukherjee and B. Chakraborty, Yet another visual proof that $\pi^e < e^\pi$., *The Mathematical Intelligencer* 41 (2019), 60. <https://doi.org/10.1007/s00283-018-09867-3>.
- [6] Chakraborty, 108.09 A visual proof that $b^e < e^b$ when $b > e$. *The Mathematical Gazette* 108 (2024), no. 571, 143

Author Contribution Statement: NIL.

Author Acknowledgement: NIL.

Author Declaration: I declare that there is no competing interest in the content and authorship of this scholarly work.



The content of the article is licensed under <https://creativecommons.org/licenses/by/4.0/> International License.